



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TAWIP ORIGINAL C 6X2L EAST / WEST
Identification number : 61563

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling:

Safety data sheet available on request.
EUH208 Contains linalool. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 SCL >= 50 % 2; H319	>= 10 - < 15
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 2,5 - < 3
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6 270-407-8 01-2119513401-57	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL >= 5 % 2; H315 > 5 - 38 % 2; H319 > 38 % 1; H318	>= 1 - < 2
linalool	78-70-6 201-134-4 01-2119474016-42	Eye Irrit. 2; H319 Skin Irrit. 2; H315	>= 0 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

least 15 minutes.

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice required. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Use explosion-proof equipment.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

ethanol : End Use: Workers
64-17-5: Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 1900 mg/m³

End Use: Workers



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 950 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 343 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 950 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 206 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 114 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 87 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Acute local effects
Value: 950 mg/m³

Alcohols, C12-14, ethoxylated, sulfates, sodium salts : End Use: Workers
68891-38-3: Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2750 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 175 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 1650 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 52 mg/m³

End Use: Consumers



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 15 mg/kg

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,132 mg/cm²

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,079 mg/cm²

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6: : End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term exposure, Systemic effects
Value: 2158,33 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term exposure, Systemic effects
Value: 152,22 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term exposure, Systemic effects
Value: 1295 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term exposure, Systemic effects
Value: 45,04 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term exposure, Systemic effects
Value: 12,95 mg/kg

linalool 78-70-6: : End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 2,8 mg/m³

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Acute systemic effects
Value: 16,5 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2,5 mg/kg

End Use: Workers



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Exposure routes: Skin contact
Potential health effects: Acute systemic effects
Value: 5 mg/kg

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 15 mg/cm²

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Acute local effects
Value: 15 mg/cm²

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 0,7 mg/m³

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Acute systemic effects
Value: 4,1 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 1,25 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Acute systemic effects
Value: 2,5 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 15 mg/cm²

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Acute local effects
Value: 15 mg/cm²

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 0,2 mg/kg

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Acute systemic effects
Value: 1,2 mg/kg



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

PNEC

ethanol
64-17-5: : Fresh water
Value: 0,96 mg/l

Marine water
Value: 0,79 mg/l

Fresh water sediment
Value: 3,6 mg/kg

Soil
Value: 0,63 mg/kg

STP
Value: 580 mg/l

intermittent release
Value: 2,75 mg/l

Alcohols, C12-14, ethoxylated,
sulfates, sodium salts
68891-38-3: : Fresh water
Value: 0,24 mg/l

Marine water
Value: 0,024 mg/l

Fresh water sediment
Value: 0,9168 mg/kg

Marine sediment
Value: 0,09168 mg/kg

Soil
Value: 7,5 mg/kg

STP
Value: 10000 mg/kg

intermittent release
Value: 0,071 mg/l

Sulfonic acids, C14-16-alkane
hydroxy and C14-16-alkene,
sodium salts
68439-57-6: : Fresh water
Value: 0,042 mg/l

Marine water
Value: 0,0042 mg/l

Fresh water sediment
Value: 2,025 mg/l

Marine sediment
Value: 0,2025 mg/l

Soil



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

linalool
78-70-6:

Value: 0,0061 mg/l

STP
Value: 4 mg/l

: Fresh water
Value: 0,2 mg/l

Marine water
Value: 0,02 mg/l

intermittent release
Value: 2 mg/l

STP
Value: > 10 mg/l

Fresh water sediment
Value: 2,22 mg/kg

Marine sediment
Value: 0,222 mg/kg

Soil
Value: 0,327 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : not required under normal use

Hand protection

Material : For prolonged or repeated contact use protective gloves.
Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm).
not required under normal use

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: colourless
Odour	: like fruit
Odour Threshold	: No data available
pH	: ca. 9, at20 °C
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: ca. 38 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not classified as supporting combustion according to the transport regulations.
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,064 g/cm ³ at 20 °C
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Further information : No data available

Components:

ethanol

64-17-5:

Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg
Method: OECD Test Guideline 401



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

	LD50 Rat: 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 Rat: 51 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 Dermal Rabbit: > 2.000 mg/kg Method: OECD Test Guideline 402
	LD50 Dermal Rabbit: > 10.000 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation	: Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Result: Mild eye irritation Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Species: Mouse Result: Does not cause skin sensitisation. Method: see user defined free text
Reproductive toxicity	: Species: Rat Application Route: Oral NOAEL: 5.200 mg/kg Species: Rat Application Route: Oral NOAEL: 13.800 mg/kg Species: Rat Application Route: Inhalation NOAEL: 30400 mg/m3
Repeated dose toxicity	: Rat, male: NOAEL: > 20 mg/kg Method: see user defined free text Rat, female: NOAEL: 1.730 mg/kg Method: see user defined free text

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity	: LD50 Oral Rat: 4.100 mg/kg Method: OECD Test Guideline 401 GLP: no
---------------------	--



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

LD50 Oral Rat: 2.000 - 5.000 mg/kg
Method: OECD Test Guideline 401
Test substance: see user defined free text

LD50 Oral Rat: > 5.000 mg/kg
Method: OECD Test Guideline 401
Test substance: see user defined free text

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Skin corrosion/irritation : Species: Rabbit
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit
Method: OECD Test Guideline 405
Test substance: see user defined free text

Species: Rabbit
Method: OECD Test Guideline 405
Test substance: see user defined free text

Respiratory or skin sensitisation : Test Method: Maximisation Test
Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.
Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative
Method: OECD Test Guideline 471

Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: > 300 mg/kg,
F1: > 300 mg/kg, Method: OECD Test Guideline 416

Teratogenicity : Species: Rat
Application Route: Oral
>1.000 mg/kg
> 1.000 mg/kg
Method: see user defined free text

Repeated dose toxicity : Rat: NOAEL: > 225 mg/kg

Application Route: Oral
Exposure time: 90 Days
Method: see user defined free text



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Target Organs: Liver

STOT - repeated exposure : Exposure routes: Ingestion
Target Organs: Liver

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 Rat: 52 mg/l
Exposure time: 4 h
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal Rabbit: 6.300 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit
Result: Irritating to skin.
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit
Result: Risk of serious damage to eyes.
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.
Method: OECD Test Guideline 406

Repeated dose toxicity : Rat: NOAEL: 259 mg/kg
Application Route: Dermal
Exposure time: 2 Years

linalool

78-70-6:

Acute oral toxicity : LD50 Rat: 2.790 mg/kg

Acute inhalation toxicity : LC50 : 50.000 mg/l
LC50 : 50 mg/l

Acute dermal toxicity : LD50 Rabbit: > 5.000 mg/kg
LD50 Dermal Rabbit: 2.000 mg/kg



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol

64-17-5:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l
Exposure time: 48 h
- LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l
Exposure time: 96 h
- LC50 (Fish): 11.200 mg/l
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l
Exposure time: 48 h
- EC50 : 5.012 mg/l
- Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l
Exposure time: 48 h
Test Type: Growth inhibition
Method: No information available.
- EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l
Exposure time: 168 h
- EC50 : 4.432 mg/l
- EC10 : 11,5 mg/l
- EC10 : 280 mg/l
- Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Fish): > 1 - 10 mg/l
Test Type: semi-static test
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 211

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

EC50 (Scenedesmus subspicatus): 10 - 100 mg/l
Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

NOEC : 0,95 mg/l
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Pseudomonas putida): > 10 g/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test
Method: DIN 38412
GLP: yes

EC10 (Pseudomonas putida): > 10 g/l



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Test Type: Cell multiplication inhibition test
GLP:

Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l
NOEC: 1 - 10 mg/l
Species: Leuciscus idus (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4,2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 4,53 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : (Skeletonema costatum (marine diatom)): 5,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to bacteria : EC50 (Bacteria): 230 mg/l
Method: OECD Test Guideline 209

Plant toxicity : 2025 mg/l Duration: 10 d

linalool 78-70-6:

Toxicity to fish : LC50 : 27,8 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 : 59 mg/l

Toxicity to algae : EC50 : 156,7 mg/l

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

ethanol 64-17-5:

Biodegradability : Result: Readily biodegradable
Biodegradation: 97 %



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Method: OECD Test Guideline 301

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

68439-57-6:

Biodegradability : Biodegradation: > 80 %
Method: OECD 301 B
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

Chemical Oxygen Demand (COD) : 790 mg/g

Dissolved organic carbon (DOC) : 190 mg/g

linalool

78-70-6:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 64,2 %
Exposure time: 28 d
Method: OECD 301 C

12.3 Bioaccumulative potential

Components:

ethanol

64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

ethanol

64-17-5:

Distribution among environmental compartments : Koc: 1Remarks: Highly mobile in soils

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Distribution among environmental compartments : Adsorption/Soil
Medium: Soil
Koc: 191 Method: see user defined free text

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste Code : European Waste Catalogue
20 01 29*
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU : Not applicable
of the European Parliament and of
the Council on the control of
major-accident hazards involving
dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: Not applicable
: Organic Substances: : portionClass 1: < 0,01 %
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds : Percent volatile: 23,96 %
(VOC) content : 600,68 g/l
VOC content excluding water

Volatile organic compounds : Percent volatile: 23,96 %
(VOC) content : 254,93 g/l



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

VOC content valid only for coating materials used on wood surfaces

- according to Detergents Regulation EC 648/2004 : <5% Anionic surfactants, Non-ionic surfactants, Soap, Perfumes, LINALOOL, LIMONENE, GERANIOL
- Diğer kurallar : 13 Aralık 2014 tarihli, 29204 sayılı, "T.C. Çevre ve Şehircilik Bakanlığı Zararlı Maddeler ve Karışımlara İlişkin Güvenlik Bilgi Formları Hakkında Yönetmeliği" ne uygun düzenlenmiştir. 26 Aralık 2008 27092 (mükerrer) sayılı Tehlikeli Maddelerin ve Müstahzarların Sınıflandırılması, Ambalajlanması ve Etiketlenmesi Hakkında Yönetmelik hükümlerine göre hazırlanmıştır. Maddelerin ve Karışımların Sınıflandırılması, Etiketlenmesi ve Ambalajlanması Hakkında Yönetmelik. 11 Aralık 2013 tarihli, 28848 mükerrer sayılı, T.C. Çevre ve Şehircilik Bakanlığı.

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

- H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Further information

Classification procedure: On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -



TAWIP ORIGINAL C 6X2L EAST / WEST

WM 0713120

Order number: 0713120

Version 6.1

Revision Date 02.11.2017

Print Date 09.12.2017

Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000000934